

## Message

**From:** Kimble, Jeffrey [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D2DD4D4515E14394A48418016A9CD908-JKIMBL03]  
**Sent:** 12/18/2017 9:44:59 PM  
**To:** Daniel M. Capone [DCapone@manniksmithgroup.com]  
**CC:** Brent Ritchie [JRitchie@manniksmithgroup.com]  
**Subject:** RE: PFOS & PFAS in drinking water - Wolverine World Wide Tannery site, Rockford, MI

Starting point will be to develop sampling plans and QAPP (region will help with QAPP tomorrow, I have a call at 11 am). We still need to determine how many samples and what type they want us to collect.

CRL has space for some of the PFAS samples, but I also have a list of private labs we may need to reach out to in the future.

So short term, I think CRL will do the PFAS and we'll get a private lab to run the normal CERCLA stuff (I have a list of "hits" they have gotten from WWW and MDEQ sampling).

There should be adequate \$ on the TDD to get started – and short term goals are to get the plans in place to be ready to sample as soon as later this week.

More to come!-

---

**From:** Daniel M. Capone [mailto:DCapone@manniksmithgroup.com]  
**Sent:** Monday, December 18, 2017 4:39 PM  
**To:** Kimble, Jeffrey <kimble.jeffrey@epa.gov>  
**Cc:** Brent Ritchie <JRitchie@manniksmithgroup.com>  
**Subject:** FW: PFOS & PFAS in drinking water - Wolverine World Wide Tannery site, Rockford, MI

Jeff – looks like TDD is getting pushed through this week. I've copied Brent Ritchie on this email – as I told you earlier – we have plenty of space in our Grand Rapids office we could make available for your folks. Brent's cell number Ex. 6 - Personal Privacy  
Ex. 6 - Personal Privacy Our office address in Grand Rapids is 1345 Monroe Ave NW, suite 334, Grand Rapids MI 49505. Let me know what else you need at this point.

Dan Capone  
Mannik & Smith Group, Inc  
517-881-8837 (C)

---

**From:** Scott, Kevin [mailto:Kevin.Scott@tetrattech.com]  
**Sent:** Monday, December 18, 2017 3:14 PM  
**To:** Nancy R. Posavatz; William Prall; Daniel M. Capone; Kozel, Lori; 'mbrowning@seagullenvirotech.com'  
**Cc:** Burns, Chris  
**Subject:** RE: PFOS & PFAS in drinking water - Wolverine World Wide Tannery site, Rockford, MI

Correction. Site is in Rockford, Michigan. Site name is Wolverine World Wide Tannery – a little north of Grand Rapids, MI.

[http://www.mlive.com/news/grand-rapids/index.ssf/2017/11/extremely\\_high\\_pfas\\_levels\\_fou.html](http://www.mlive.com/news/grand-rapids/index.ssf/2017/11/extremely_high_pfas_levels_fou.html)

---

**From:** Scott, Kevin  
**Sent:** Monday, December 18, 2017 2:06 PM

**To:** 'Nancy R. Posavatz' <[NPosavatz@manniksmithgroup.com](mailto:NPosavatz@manniksmithgroup.com)>; 'William Prall' <[WPrall@manniksmithgroup.com](mailto:WPrall@manniksmithgroup.com)>;  
[DCapone@manniksmithgroup.com](mailto:DCapone@manniksmithgroup.com); Kozel, Lori <[Lori.Kozel@tetrattech.com](mailto:Lori.Kozel@tetrattech.com)>  
**Cc:** Burns, Chris <[chris.burns@tetrattech.com](mailto:chris.burns@tetrattech.com)>  
**Subject:** PFOS & PFAS in drinking water - wolverine, MI  
**Importance:** High

Just got a call from Sam letting me know that Jeff Kimble is planning to mobilize to a site in wolverine, MI this week. CoCs are PFOS and PFOA. Any MSG staff with experience with these contaminants? TDD will not likely surface until later this week as CO is out until Wednesday. Let me know ASAP. thx. ks

### CONFIDENTIALITY NOTICE

The information contained in this communication and its attachment(s) is intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is prohibited. If you have received this communication in error, please notify [postmaster@manniksmithgroup.com](mailto:postmaster@manniksmithgroup.com) and delete the communication without retaining any copies. Thank you.